



OUTDOOR WALL MOUNT ENCLOSURES




OUTDOOR WALL MOUNT SWING TYPE PRO




The swing type features access to both front and rear of the cabinet allowing easy installation and easy maintenance.

NEMA & IP Rating


PART NUMBER	HEIGHT (inch)	WIDTH (inch)	DEPTH (inch)	RACK UNIT
MR-2424-7-ODW-S	16.00	24.00	24.00	7
MR-2424-10-ODW-S	20.00	24.00	24.00	10
MR-2424-12-ODW-S	24.00	24.00	24.00	12
MR-2424-19-ODW-S	36.00	24.00	24.00	19
MR-2424-26-ODW-S	48.00	24.00	24.00	26




Cable Storage:
Key lockable cable storage space with bottom cable entry.




Easy Mounting:
4 structure mounting stands ensures stability.



Inside:
4 pre-installed bridges and 19" EIA rails, allow flexibility to move in depth and use accessories for either mounting devices or cable management.




OUTDOOR WALL MOUNT PRO



NEMA & IP Rating

PART NUMBER	HEIGHT (inch)	WIDTH (inch)	DEPTH (inch)	RACK UNIT
MR-2424-7-ODW	16.00	24.00	24.00	7
MR-2424-10-ODW	20.00	24.00	24.00	10
MR-2424-12-ODW	24.00	24.00	24.00	12
MR-2424-19-ODW	36.00	24.00	24.00	19
MR-2424-26-ODW	48.00	24.00	24.00	26




Door Options:
Tempered Glass Front Door
Solid Front Door
Cooling Front Door



Cooling & Heating Options:
Wide range of air conditioner,
heat exchanger, fan/filter,
heater are available upon
request.

Multigate Cable Entry on
Bottom



Wall Stands

